

The OMM can browse in a corporate directory using LDAP.

To search the directory, press the arrow up key  on the system handset.



**Server name:**

DNS name or IP address of the LDAP Server

**Server port:** default 389 (SSL is not supported)  
(Windows Active Directory Server Port: 3268)

**Search base:**

LDAP Search base (provided by the LDAP server)

**Search type:**

search for Surname (sn) or Given name.

**Display type:**

Surname, Given name (Smith, John)

Given name, Surname (John, Smith)


**Server search timeout: (1 - 99 sec)**

Timeout until the OMM accept search results

Directory

<div>OK</div> <div>Cancel</div>	
<b>General settings</b>	
Type	LDAP
<b>LDAP</b>	
Server name	myldapserver.local
Server port	389
Search base	DC=aastra,DC=com
User name	johndoe
Password	*****
Search type	Surname
Display type	Given name and surname
Server search timeout	10 sec

- ✧ These fields must be mandatory filled, otherwise the message "no data" will be appears.




**Eigenschaften von Bart Simpson**

Mitglied von | Einwählen | Umgebung | Sitzungen | Remoteüberwachung

Terminaldienstprofil | COM+ | Exchange - Allgemein

E-Mail-Adressen | Exchange-Features | Exchange - Erweitert

Allgemein | Adresse | Konto | Profil | Rufnummern | Organisation

 Bart Simpson

Vorname:  Initialen:

Nachname:

Anzeigename:

Beschreibung:

Büro:

Rufnummer:

E-Mail:

Webseite:

- ✧ **supported LDAP attributes:** sn (surname), givenname, telephoneNumber, mobile and for messaging: email, facsimileTelephoneNumber
- ✧ corporate directory usage within call states e.g. for call transfer
- ✧ multiple attributes for one name are now supported
- ✧ messaging abilities depend on configured message and alarm servers



## LDIF example entry

sn: Doe  
givenName: John  
telephoneNumber: +1555123200  
facsimileTelephoneNumber: +1555123456  
mail: john.doe@company.local  
mobile: +1555123456

*142d display only the telephoneNumber*